



WASTE DISPOSAL APPLICATION

PORT ANGELES SOLID WASTE TRANSFER STATION

To: City of Port Angeles
Attn: Solid Waste Superintendent
321 E. Fifth Street
Port Angeles, Washington 98362

Phone: (360) 417-4800
Fax: (360) 452-4972

NOTE: All questions must be answered for this waste disposal application to be approved.

1. Applicant Information:

Company Name: _____

Mailing Address: _____

Contact: _____

Phone: _____

Project Name: _____

Project Location: _____

2. Other Contacts (if applicable):

Consulting Firm: _____

Contact: _____

Phone: _____

Contractor Name: _____

Contact: _____

Phone: _____

Laboratory: _____

Contact: _____

Phone: _____

3. **Source of Waste:**

Check the appropriate box below and briefly describe the project, process, and/or cleanup that will or has produced the waste requiring disposal. (You can also attached documents to describe the above) Include the gasoline service station number if applicable.

- CERCLA/MTCA Remediation Agency Contact: _____
 - Independent Remedial Action
 - UST Removal
 - Unused Chemical Product Spill
 - Other Source: _____
-

4. **Waste Material Composition:** (Check all that apply and include percent of total)

- ___ Soil _____%
- ___ Foundry Slag _____%
- ___ Solvents _____%
- ___ Dredge Sediments _____%
- ___ Preserved Wood _____%
- ___ Debris _____%
- ___ Coal Ash _____%
- ___ Wood Ash _____%
- ___ Other _____% (list) _____
- TOTAL: _____% **NOTE:** Total must equal 100%.

5. **Waste Material Contaminants:** (check all that apply)

- ___ Gasoline _____ Metals
- ___ Diesel _____ PCBs
- ___ Solvents
- ___ Heating Oil
- ___ Unused Motor Oil
- ___ Used Motor Oil/Waste Oil
- ___ Other Petroleum Product (list) _____
- ___ Other (list) _____
- ___ Unknown _____

Note: Supply any MSDS information with application, if available.

6. **Estimated Quantity of Waste for Disposal:**

- _____ Cubic yards / _____ Tons (estimate both)
- _____ Drums / _____ Tons (estimate both)
- Other: _____

7. **Frequency of Disposal:**

- _____ One time _____ Multiple _____ Annual _____ Other _____

8. **Waste Sampling:**

Proper characterization of the waste for disposal requires the collection of representative samples. The methods and equipment necessary for obtaining representative samples of a waste, and the frequency of sampling, will vary with the type and form of the waste. Check the appropriate box and briefly describe how the waste was sampled. Identify site and location where material is being removed from. (You can also attached documents for how it was sampled, identify site location, and where the material was removed)

Number of COMPOSITE samples: _____ Number of DISCRETE samples: _____

NOTE 1: Unless prior approval has been granted by the City of Port Angeles, the following sampling frequency will be used:

- 0 – 25 cubic yards = 1 composite sample
- 25 – 100 cubic yards = 3 composite samples
- 101 – 500 cubic yards = 5 composite samples
- 501 – 1000 cubic yards = 7 composite samples
- 1001– 2000 cubic yards = 10 composite samples
- >2000 cubic yards = 10 +1 sample for each additional 500 cubic yards

NOTE 2: One composite sample shall contain a minimum of three/maximum of five discrete samples.

9. **Waste Analysis:**

- The “Dangerous Waste Regulations” (WAC 173-303) shall be utilized to determine the appropriate analytical requirements for waste characterization.
- Ecology Publication #10-09-057 or any future updates “Guidance for Remediation of Petroleum Contaminated Soils” shall also be used to characterize petroleum contaminated soils from underground storage tank releases.
- Submit all laboratory analytical results, QA/QC data, and Chain of Custody sheets along with this application. **(NOTE: The sampling laboratory must be accredited by the Washington State Department of Ecology.)**

List all analytical test methods used / or attached documents referencing analytical test methods used.

NOTE: Additional sheets attached: ____ YES ____ NO

10. **Soil Classification: (**FOR PETROLEUM CONTAMINATED SOILS ONLY**)**

Based on the analytical data and Ecology Publication #10-09-057, the soil classification is: (check one)

- ____ Class 1 ____ Class 2 ____ Class 3 ____ Class 4
- ____ Calculated Hazard Index

11. **Dangerous Waste Affidavit:**

Based on a review of the analytical test results, site history, and the applicable regulations, this waste is classified as: (check one)

- Neither Dangerous Waste (DW) nor Extremely Hazardous Waste (EHW)
- Dangerous Waste (DW) and Waste Code: _____
- Extremely Hazardous Waste (EHW) and Waste Code: _____

12. Special Notes for Asbestos Disposal

All asbestos – containing materials (with the exception of roofing material in good condition that is not peeling, cracking or crumbling, with petroleum binder that still exhibits plasticity to prevent release of asbestos fibers) must:

- Be tightly wrapped or bagged in 6 mil plastic with no excess air in the packaging
- Not exceed 50 pounds per bundle
- Be labeled as asbestos with required information regarding its origin
- Be transported with a manifest in the vehicle
- Arrive at the transfer station only by appointment with Brian Tate of Waste Connections at 360 -452-0427 or cell phone 360-912-7080, so that the material can be deposited in a lock box.

Certification:

We, THE UNDERSIGNED, certify that this application is true to the best of our knowledge. All information provided is correct and the enclosed analytical results represent the proposed waste material to the best of our abilities.

Waste Generator’s Signature: _____

Printed Name & Company Position _____

Company: _____

Date: _____

If you have any questions please contact Solid Waste Superintendent at 417-4800 or email publicworks@cityofpa.us.

THIS SECTION TO BE FILLED OUT BY AUTHORIZED STAFF

Approval:

Environmental Health Specialist	Date
---------------------------------	------

Approval with the following conditions if applicable: _____

I certify under penalty of law that the statements made on this form are true and correct to the best of my knowledge, information and belief.

Solid Waste Superintendent	Date
-----------------------------------	-------------

* Contractor shall present their copy of approved WDA application to Scale House.

* A Demolition Permit must be obtained if demolition occurs in the City. Demolition Permits are available at City Hall or email permits@cityofpa.us.

* Land Clearing Permits can be obtained at the Olympic Region Clean Air Agency web site www.orcaa.org. You can also contact them if you have any further questions at 800 422-5623.